APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/076,952	02/15/2002	Michael P. Lyle	RECOP020	3408

21912   7590   10/04/2007
VAN PELT, YI & JAMES LLP
10050 N. FOOTHILL BLVD #200
CUPERTINO, CA 95014

EXAMINER
MERED, HABTE

ART UNIT	PAPER NUMBER
2616	

MAIL DATE	DELIVERY MODE
10/04/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on <u>9/4/2007</u>.

2a) ☐ This action is **FINAL**.   2b) ☒ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) <u>1-20</u> is/are pending in the application.

   4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) <u>1-20</u> is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☒ The drawing(s) filed on <u>15 February 2002</u> is/are: a)☒ accepted or b)☐ objected to by the Examiner.

   Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

   Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

   a)☐ All   b)☐ Some * c)☐ None of:

   1.☐ Certified copies of the priority documents have been received.

   2.☐ Certified copies of the priority documents have been received in Application No. _____.

   3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

   * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
   Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
   Paper No(s)/Mail Date. _____.

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

1.   The amendment filed on 9/04/2007 has been entered and fully considered.

2.   Claims 1-20 are pending. Claims 1, 14, and 15 are the base independent claims.

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4.   **Claims 1-20** are rejected under 35 U.S.C. 103(a) as being unpatentable over

Shanklin et al (US 6, 578, 147), hereinafter referred to as Shanklin, in view of Salapura

et al (US 6, 904, 040), hereinafter referred to as Salapura and Blair (US 6, 778, 495 B1).

Shanklin teaches a multi-processor (i.e. parallel processor) intrusion detector

with load balancing for high-speed networks.

5.   Regarding **claims 1, 14, and 15**, Shanklin teaches a method , a computer

program product, and system for routing data packets for network flow analysis by a

multi-processor system having a plurality of processors **(See Figure 2 and 3; Sensors**

21 and 31 in Figures 2 and 3 respectively make up the multi-processor system),

comprising: receiving a data packet, the data packet comprising data sufficient to

identify a network connection with which the data packet is associated **(See Column**

4:32-40 and Column 6:9-13); and assigning the data to one of the plurality of

processors for analysis. **(See Column 3:30, Column 5:22-29, 55-60 and Column 7:54-**

57) wherein each of the processors is configured to perform concurrently two or more

network flow analysis related tasks and data packets are assigned to processors in a

manner that enables use of the respective processors to be maximized even if the split

of information flows between tasks is uneven. *(This limitation is adequately*

addressed by the Primary Reference, i.e. Shanklin, in that Shanklin teaches that

each processor (IDS Sensor) as shown in Figures 2 and 4 handles two or more

sessions. For instance in Figure 2, one of the IDS Sensor 21 handles sessions S1

and S4. The processors are maximized because session based load balancing is

used in Figures 2 and 4. However the split of information flows between sessions

is uneven due to the simple fact that such a behavior is dictated by the nature of

the traffic. For instance, the information flow between a video session and an

Internet surfing session is definitely uneven. Please also refer to Column 7:20-67

for further details)

Shanklin fails to disclose calculating a hash value based on the data sufficient to

identify the network connection with which the data packet is associated and assigning

the data based on the hash value to one of the plurality of processors for analysis by

using a number of bits of the hash value, wherein the number of bits used is determined

at least in part by the number of processors included in the plurality of processors.

Salapura teaches a packet-preprocessing interface for multiprocessor network

handler.

Salapura discloses disclose calculating a hash value based on the data sufficient

to identify the network connection **(Column 4:25-30)** with which the data packet is

associated and assigning the data based on the hash value to one of the plurality of

processors for analysis by using a number of bits of the hash value, wherein the number

of bits used is determined at least in part by the number of processors included in the

plurality of processors. **(See Columns 5:42-45, 6:18-21, 7:2-5)**

It would have been obvious to one having ordinary skill in the art at the time the

invention was made to modify Shanklin's system to incorporate hash value calculation

based on data sufficient to identify the network connection and using the hash value to

identify and assign a processor to a specific session where data belonging to the

specific session are routed to the same processor. The motivation being hash value

calculation simplifies address lookup as it is low cost to implement and saves processor

time as stated in Salapura in Columns 1:40-60 and 2:1-2,50-53 and further distributing

the workload among the processors on a per session basis allows it to outperform

conventional network handlers in terms of cost and processing efficiency as stated in

Salapura in Column 7:5-10.

Shanklin fails to disclose the number of bits of the hash value used to identify the

processors/links is not necessarily the total number of bits.

Blair teaches a method and system for each delay-bound flow, such as for a

VOIP service, the sending node hashes the packet header data and applies all packets

for the flow to one of the links assigned as a function of the hash value and different

flow headers produce different hash results causing the node to send different flows

over different links.

Blair discloses disclose the number of bits of the hash value used to identify the processors/links is not necessarily the total number of bits. **(See Column 9:64-67 and Column 10:1-18)**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Shanklin's system to incorporate a step wherein the number of bits of the hash value used to identify the processors/links is not necessarily the total number of bits. The motivation to use only a portion of the hash value or result is that it allows the user to add links/processors (i.e. entities identified by the hash value) to the system without modifying the hashing function as stated by Blair in Column 10:1-5.

6.   Regarding **claim 2**, Shanklin discloses a method wherein the data in the data packet is sufficient to identify the network connection with which the data packet is associated comprises address data. **(See Column 3, Lines 25-26)**

7.   Regarding **claim 3**, Shanklin discloses wherein the data sufficient to identify the network connection with which the data packet is associated comprises address data associated with a source computer that sent the data packet and address data associated with a destination computer to which the data packet is addressed. **(See Column 3, Lines 25-26, Column 4 Lines 12-15 and 25-30)**

8.   Regarding **claim 4**, Shanklin discloses wherein the data packet is sent using the TCP/IP suite of protocols and the data sufficient to identify the network connection with which the data packet is associated comprises an IP address and port number associated with the source computer that sent the data packet and an IP address and

port number associated with the destination computer to which the data packet is addressed. **(See Column 3, Lines 25-26, Column 4 Lines 12-15 and 25-30. Shanklin discloses the packets are sent using the TCP/IP protocol and the rest of the limitation is inherent to the protocol)**

9.   Regarding **claim 5**, Shanklin teaches all aspects of the claimed invention as set forth in the rejection of claim 1 but fails to disclose a method further comprising storing the data packet in host memory associated with the multi-processor system.

Salapura discloses a method further comprising storing the data packet in host memory associated with the multi-processor system. **(See Figure 2, elements 14 and 25 and Column 4:6-20)**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Shanklin's system to incorporate a method further comprising storing the data packet in host memory associated with the multi-processor system. The motivation to use a host memory shared by all processors is to reduce cost of using different memory with different controllers for different processors and Salapura uses a single DMA controller to interface with the different processors to store and retrieve data from the Direct Memory Access that serves as the host memory as stated in Salapura 4:35-37.

10.   Regarding **claim 6**, Shanklin teaches all aspects of the claimed invention as set forth in the rejection of claim 5 but fails to disclose a method, further comprising sending an interrupt message to a driver, the interrupt message comprising data identifying the storage location in host memory in which the data packet is stored.

Salapura discloses a method, further comprising sending an interrupt message to a driver, the interrupt message comprising data identifying the storage location in host memory in which the data packet is stored. **(See Columns 1:32 and 6:22-29)**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Shanklin's system to incorporate a method of sending an interrupt message. The motivation for using an interrupt message is to awaken a processor for processing data, the end result being savings in processor time and simplification of address lookup as stated in Salapura in Columns 1:32 and 6:22-29.

11.   Regarding **claim 7**, Shanklin teaches all aspects of the claimed invention as set forth in the rejection of claim 1 but fails to disclose a method further comprising storing the data packet in host memory associated with the multi-processor system and wherein the step of routing comprises sending to the one of the plurality of processors data identifying the storage location in host memory in which the data packet is stored.

Salapura discloses a method further comprising storing the data packet in host memory associated with the multi-processor system and wherein the step of routing comprises sending to the one of the plurality of processors data identifying the storage location in host memory in which the data packet is stored. **(See Salapura Columns 5;1-10, 6:22-29, and Figure 3, step 60 as well as last step in Figure 4)**

12.   Regarding **claim 8**, Shanklin teaches all aspects of the claimed invention as set forth in the rejection of claim 7 but fails to disclose a method wherein the step of sending to the one of the plurality of processors data identifying the storage location in

host system memory in which the data packet is stored comprises storing the data identifying the storage location in a work queue associated with the processor.

Salapura discloses a method wherein the step of sending to the one of the plurality of processors data identifying the storage location in host system memory in which the data packet is stored comprises storing the data identifying the storage location in a work queue associated with the processor. **(See Column 6:22-29 and Figure 2, element 15)**

13.   Regarding **claim 9**, Shanklin teaches all aspects of the claimed invention as set forth in the rejection of claim 8 but fails to disclose a method wherein the work queue is a circular queue.

Salapura discloses a method wherein the work queue is a circular queue. **(See Column 4:10)**

14.   With respect to **claims 7-9**, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Shanklin's system to incorporate hash value calculation based network connection data and storing the data packet in host memory associated with the multi-processor system and the step of routing comprises sending to the one of the plurality of processors data identifying the storage location in a work queue in a host memory in which the data packet is stored. The motivation being these steps simplify address lookup, reduce processor time and provides a more efficient packet handling method in that it keeps packets sequences belonging to the same session intact by assigning the packets to a specific work queue belonging to a specific processor as stated in Salapura in Columns 1:45-61 and 2:50-67

15.   Regarding **claim 10**, Shanklin discloses a method further comprising associating the data packet with one or more other data packets associated with the same network connection with which the received data packet is associated to recreate a network flow associated with the network connection. **(See Column 3: 43-46)**

16.   Regarding **claim 11**, Shanklin discloses a method further comprising analyzing the network flow to determine if any security-related event has occurred. **(See Column 3, Lines 55-65 and Column 5, Lines 30-40)**

17.   Regarding **claim 12**, Shanklin discloses a method, wherein a security-related event is determined to have occurred if the network flow matches a pattern associated with a known attack. **(See Column 5:30-40, Column 6:4-8, and Column 7:60-65)**

19.   Regarding **claim 13**, Shanklin discloses a method wherein a security-related event is determined to have occurred if the network flow deviates from normal and permissible behavior under the network protocol under which the data packet was sent. **(See Column 5:30-40, Column 6:4-8, and Column 7:60-65)**

20.   Regarding **claims 16 and 17**, Shanklin discloses a system wherein the data sufficient to identify the network connection with which the data packet is associated comprises address data associated with a source computer that sent the data packet and address data associated with a destination computer to which the data packet is addressed. **(See Columns 3:23-25, 4:32-40, 6:9-13, and 7:20-27)**

21.   Regarding **claim 18**, Shanklin discloses a system, wherein the data packet is sent using the TCP/IP suite of protocols and the data sufficient to identify the network connection with which the data packet is associated comprises an IP address and port

number associated with the source computer that sent the data packet and an IP

address and port number associated with the destination computer to which the data

packet is addressed. **(In Column 4:12-32 Shanklin discloses that his system uses**

the TCP/IP suite of protocols including TCP, UDP, IP and ICMP. Examiner takes

Official Notice that the TCP and UDP protocols provide port number associated

with the source and the destination while IP protocol provides the IP address of

the source as well as the destination. Please refer to Newton's Telecom

dictionary 16[th] edition on pages 838-839)

22.   Regarding **claim 19,** Shanklin discloses a system, wherein the driver is further

configured to associate the data packet with one or more other data packets associated

with the same network connection with which the received data packet is associated to

recreate a network flow associated with network connection. **(See Column 7:54-59)**

23.   Regarding **claim 20,** Shanklin discloses a system, wherein the driver is further

configured to analyze the network flow to determine if any security-related event has

occurred. **(See Column 6:47-56)**

Response to Arguments

24.   In the Remarks, on page 6, Applicant argues with respect to amended

independent claims 1, 14, and 15 that the cited arts and in particular Salapura fails to

teach the amended limitation that recites <u>wherein each of the processors is configured</u>

<u>to perform concurrently two or more network flow analysis related tasks and data</u>

<u>packets are assigned to processors in a manner that enables use of the respective</u>

<u>processors to be maximized even if the split of information flows between tasks is</u>

<u>uneven.</u>   Applicant suggests that Salapura by teaching that the hash function
distributes packets "uniformly" on a sequence basis in Column 7:31-35 fails to address
the added new limitation.

Examiner respectfully disagrees. The Primary Reference adequately teaches the
network flow analysis aspects of the independent claims including the newly amended
limitation as detailed in the rejection of the independent claims. Salapura was strictly
introduced to teach the mechanism of hash function. Further, Salapura in Column 2:
45-65 shows that for Fiber Channel a single information is a sequence and a sequence
is made up of one or more packets. Salapura further indicates all packets from the
same sequence are assigned to the same thread (i.e. processor) for processing.
Hence Salapura teaches like the primary reference balancing on a sequence basis but
the information flow between sequences can be unevenly split as different sequences
contain different number of packets. Salapura's Column 7:31-35 simply states load
balancing on a sequence basis makes the processors efficient and adequately reads on
the newly added limitation of the independent claims. Therefore due to these
compelling reasons the 103 rejection of all the independent claims is maintained.

Conclusion

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Habte Mered whose telephone number is 571 272 6046.
The examiner can normally be reached on Monday to Friday 9:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris H. To can be reached on 571 272 7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HM
09-29-2007

DORIS H. TO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600